

# 光学特性データ

測定サンプル | リアハード スタANDARD100(RHY)

|                 |        |
|-----------------|--------|
| STD. WHITE =    | 11.505 |
| PG(H) =         | 1.00   |
| $\alpha$ (H)R = | 38.00  |
| $\alpha$ (H)L = | 38.00  |
| $\beta$ (H)R =  | 53.00  |
| $\beta$ (H)L =  | 53.00  |

( $\alpha$ ) = 半値角 (ピークゲインの1/2の値)  
 ( $\beta$ ) = 1/3値角 (ピークゲインの1/3の値)

| HORIZONTAL |        |      |
|------------|--------|------|
| 角度         | nt     | Gs   |
| -80.0°     | 0.831  | 0.07 |
| -75.0°     | 1.854  | 0.16 |
| -70.0°     | 2.301  | 0.20 |
| -65.0°     | 2.621  | 0.23 |
| -60.0°     | 2.94   | 0.26 |
| -55.0°     | 3.324  | 0.29 |
| -50.0°     | 3.907  | 0.34 |
| -45.0°     | 4.219  | 0.37 |
| -40.0°     | 4.858  | 0.42 |
| -35.0°     | 6.005  | 0.52 |
| -30.0°     | 6.392  | 0.56 |
| -25.0°     | 7.415  | 0.64 |
| -20.0°     | 8.373  | 0.73 |
| -15.0°     | 9.268  | 0.81 |
| -10.0°     | 9.971  | 0.87 |
| -5.0°      | 10.865 | 0.94 |
| -2.5°      | 11.335 | 0.99 |
| +2.5°      | 11.547 | 1.00 |
| +5.0°      | 10.921 | 0.95 |
| +10.0°     | 9.971  | 0.87 |
| +15.0°     | 9.268  | 0.81 |
| +20.0°     | 8.373  | 0.73 |
| +25.0°     | 7.478  | 0.65 |
| +30.0°     | 6.584  | 0.57 |
| +35.0°     | 5.865  | 0.51 |
| +40.0°     | 4.986  | 0.43 |
| +45.0°     | 4.346  | 0.38 |
| +50.0°     | 3.935  | 0.34 |
| +55.0°     | 3.452  | 0.30 |
| +60.0°     | 3.068  | 0.27 |
| +65.0°     | 2.748  | 0.24 |
| +70.0°     | 2.301  | 0.20 |
| +75.0°     | 1.79   | 0.16 |
| +80.0°     | 0.767  | 0.07 |

