

# 光学特性データ

Sample : GRAY HAWK 90

Data : 01.06.12

STD . WHITE =	180
PG ( H ) =	0.90
PG ( V ) =	0.00
( H ) R =	+ 50.00°
( H ) L =	- 50.00°
( V ) R =	+ 0.00°
( V ) L =	- 0.00°
( H ) R =	+ 85.00°
( H ) L =	- 80.00°
( V ) R =	+ 0.00°
( V ) L =	- 0.00°

( ) = 半値角(ビークの1/2の値)

( ) = 1/3角(ビークの1/3の値)

HORIZONTAL					
Angle	nt	Gs	Angle	nt	Gs
- 85.0°	54.00	0.30	+ 2.5°	157.00	0.87
- 80.0°	59.00	0.33	+ 5.0°	142.00	0.79
- 75.0°	67.00	0.37	+ 10.0°	124.00	0.69
- 70.0°	72.00	0.40	+ 15.0°	112.00	0.62
- 65.0°	74.00	0.41	+ 20.0°	99.00	0.55
- 60.0°	77.00	0.43	+ 25.0°	95.00	0.53
- 55.0°	79.00	0.44	+ 30.0°	88.00	0.49
- 50.0°	81.00	0.45	+ 35.0°	86.00	0.48
- 45.0°	83.00	0.46	+ 40.0°	85.00	0.47
- 40.0°	85.00	0.47	+ 45.0°	83.00	0.46
- 35.0°	86.00	0.48	+ 50.0°	81.00	0.45
- 30.0°	88.00	0.49	+ 55.0°	79.00	0.44
- 25.0°	95.00	0.53	+ 60.0°	77.00	0.43
- 20.0°	99.00	0.55	+ 65.0°	72.00	0.41
- 15.0°	112.00	0.62	+ 70.0°	65.00	0.40
- 10.0°	124.00	0.69	+ 75.0°	63.00	0.37
- 5.0°	142.00	0.79	+ 80.0°	59.00	0.33
- 2.5°	162.00	0.90	+ 85.0°	54.00	0.30

