

光学特性データ

Sample : SILVER-3D 350

Data : 99.03.29

STD . WHITE =	180
PG (H) =	3.55
PG (V) =	0.00
(H) R =	+ 20.00°
(H) L =	- 20.00°
(V) R =	+ 0.00°
(V) L =	- 0.00°
(H) R =	+ 25.00°
(H) L =	- 20.00°
(V) R =	+ 0.00°
(V) L =	- 0.00°

() = 半値角(ビークインの1/2の値)
 () = 1/3角(ビークインの1/3の値)

HORIZONTAL					
Angle	nt	Gs	Angle	nt	Gs
- 85.0°	11.00	0.06	+ 2.5°	621.00	3.45
- 80.0°	19.00	0.11	+ 5.0°	590.00	3.28
- 75.0°	20.00	0.11	+ 10.0°	491.00	2.73
- 70.0°	21.00	0.12	+ 15.0°	375.00	2.08
- 65.0°	24.00	0.13	+ 20.0°	269.00	1.49
- 60.0°	28.00	0.16	+ 25.0°	186.00	1.03
- 55.0°	34.00	0.19	+ 30.0°	128.00	0.71
- 50.0°	42.00	0.23	+ 35.0°	92.00	0.51
- 45.0°	55.00	0.41	+ 40.0°	66.00	0.37
- 40.0°	74.00	0.45	+ 45.0°	49.00	0.27
- 35.0°	105.00	0.58	+ 50.0°	38.00	0.21
- 30.0°	150.00	0.83	+ 55.0°	30.00	0.17
- 25.0°	214.00	1.19	+ 60.0°	25.00	0.14
- 20.0°	305.00	1.69	+ 65.0°	22.00	0.12
- 15.0°	416.00	2.31	+ 70.0°	19.00	0.11
- 10.0°	526.00	2.92	+ 75.0°	17.00	0.09
- 5.0°	616.00	3.42	+ 80.0°	16.00	0.09
- 2.5°	638.00	3.55	+ 85.0°	14.00	0.07

