

# 光学特性データ

測定サンプル | エアロヴェュー100(AV)

|                |        |
|----------------|--------|
| STD. WHITE=    | 11.505 |
| PG(H)=         | 1.00   |
| $\alpha$ (H)R= | 65.00  |
| $\alpha$ (H)L= | 65.00  |
| $\beta$ (H)R=  | 75.00  |
| $\beta$ (H)L=  | 75.00  |

( $\alpha$ ) = 半値角 (ピークゲインの1/2の値)  
 ( $\beta$ ) = 1/3値角 (ピークゲインの1/3の値)

| HORIZONTAL |        |      |
|------------|--------|------|
| 角度         | nt     | Gs   |
| -80.0°     | 1.109  | 0.10 |
| -75.0°     | 2.354  | 0.20 |
| -70.0°     | 4.155  | 0.36 |
| -65.0°     | 5.054  | 0.44 |
| -60.0°     | 5.887  | 0.51 |
| -55.0°     | 5.987  | 0.52 |
| -50.0°     | 6.221  | 0.54 |
| -45.0°     | 6.775  | 0.59 |
| -40.0°     | 7.287  | 0.63 |
| -35.0°     | 7.862  | 0.68 |
| -30.0°     | 8.501  | 0.74 |
| -25.0°     | 9.141  | 0.79 |
| -20.0°     | 9.843  | 0.86 |
| -15.0°     | 10.483 | 0.91 |
| -10.0°     | 10.994 | 0.96 |
| -5.0°      | 11.314 | 0.98 |
| -2.5°      | 11.5   | 1.00 |
| +2.5°      | 11.441 | 0.99 |
| +5.0°      | 11.377 | 0.99 |
| +10.0°     | 11.251 | 0.98 |
| +15.0°     | 11.122 | 0.97 |
| +20.0°     | 10.618 | 0.92 |
| +25.0°     | 10.035 | 0.87 |
| +30.0°     | 9.369  | 0.81 |
| +35.0°     | 8.757  | 0.76 |
| +40.0°     | 8.118  | 0.71 |
| +45.0°     | 7.542  | 0.66 |
| +50.0°     | 6.967  | 0.61 |
| +55.0°     | 6.456  | 0.56 |
| +60.0°     | 5.944  | 0.52 |
| +65.0°     | 5.561  | 0.48 |
| +70.0°     | 5.05   | 0.44 |
| +75.0°     | 3.388  | 0.29 |
| +80.0°     | 1.406  | 0.12 |

